

<u>L14</u>	L7 and grafted	5461	<u>L14</u>
<u>L13</u>	L12 and (graft near copolymer)	18	<u>L13</u>
<u>L12</u>	L11 and (DMAEMA)	30	<u>L12</u>
<u>L11</u>	L10 and (side near chains)	459	<u>L11</u>
<u>L10</u>	L9 and ((tertiary near amine near acrylate) or (tertiary near nitrogen) or (quaternary near nitrogen) or (tertiary near amine) or (dimethylaminoethyl near methacrylate) or (DMAEMA))	1001	<u>L10</u>
<u>L9</u>	L8 and (polyethyleneoxide or polyoxyethylene or (polyethylene near glycol))	2560	<u>L9</u>
<u>L8</u>	(L7 or L6 or L5) and grafted	5638	<u>L8</u>
<u>L7</u>	methacrylate and backbone	24060	<u>L7</u>
<u>L6</u>	polymethacrylate near backbone	59	<u>L6</u>
<u>L5</u>	(ethylenically near unsaturated near monomer) and backbone	4756	<u>L5</u>
<u>L4</u>	(deGroot-N.in.) or (deGroot-N-\$in.)	0	<u>L4</u>
<u>L3</u>	deGroot-Nicolas.in.	0	<u>L3</u>
<u>L2</u>	deGroot.in.	470	<u>L2</u>
<u>L1</u>	3985700	19	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L12 and (graft near copolymer)	18

Database:

- US Pre-Grant Publication Full-Text Database
- US Patents Full-Text Database
- US OCR Full-Text Database**
- EPO Abstracts Database
- JPO Abstracts Database
- Derwent World Patents Index
- IBM Technical Disclosure Bulletins

Search:

L13

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Sunday, March 26, 2006 [Printable Copy](#) [Create Case](#)

<u>Set</u>	<u>Name</u>	<u>Query</u>	<u>Hit Count</u>	<u>Set</u>
<u>Name</u>	<u>Query</u>		<u>Name</u>	<u>result set</u>
side by side				
		DB=PGPB,USPT,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR		
<u>L13</u>	L12 and (graft near copolymer)		18	<u>L13</u>
<u>L12</u>	L11 and (DMAEMA)		30	<u>L12</u>
<u>L11</u>	L10 and (side near chains)		459	<u>L11</u>
<u>L10</u>	L9 and ((tertiary near amine near acrylate) or (tertiary near nitrogen) or (quaternary near nitrogen) or (tertiary near amine) or (dimethylaminoethyl near methacrylate) or (DMAEMA))		1001	<u>L10</u>
<u>L9</u>	L8 and (polyethyleneoxide or polyoxyethylene or (polyethylene near glycol))		2560	<u>L9</u>
<u>L8</u>	(L7 or L6 or L5) and grafted		5638	<u>L8</u>
<u>L7</u>	methacrylate and backbone		24060	<u>L7</u>
<u>L6</u>	polymethacrylate near backbone		59	<u>L6</u>
<u>L5</u>	(ethylenically near unsaturated near monomer) and backbone		4756	<u>L5</u>
<u>L4</u>	(deGroot-N.in.) or (deGroot-N-\$in.)		0	<u>L4</u>
<u>L3</u>	deGroot-Nicolas.in.		0	<u>L3</u>

L2 deGroot.in.
L1 3985700

470 L2
19 L1

END OF SEARCH HISTORY